| | | BBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB | RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR | | |
|---|------------|--|--|-----|---|
| LLL | HH | | | | |
| LLL | III | BBB BBB BBB | RRR RRR | 111 | iii |
| iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii | 1111111111 | BBBBBBBBBBB | RRR RRR | TTT | IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII |
| LLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLL | | 88888888888 88888888888 | RRR RRR | III | |

LI

| | BBBBBBBB BBBBBBBBB BB BB BB BB BB BB BBBBBB | CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC | VV VV VV VV | | AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA | | 88888888 88888888 88 88 88 88 88 88 88 88 888888 |
|--|--|--|--|--|--|--|--|
| | \$ | | | | | | |

LI

- ASCII NUMBER TO BINARY CONVERSION 7 LIB\$CVT_ATB Table of contents 16-SEP-1984 02:17:13 VAX/VMS Macro V04-00 Page 0 53 71 (1) HISTORY DECLARATIONS ; DETAILED

DOI LIE SI

...

١.

Phi Coi Pai Syl Pai Syl Psi Cro

The 140 The 140 O

Mai

The

MA

.SBTTL HISTORY

MODIFIED BY:

AUTHOR: ANDREW C. GOLDSTEIN 26-JAN-78 16:48

: DETAILED

0000 0000

0000 0000

0000 0000 **F

- ASCII NUMBER TO BINARY CONVERSION 16-SEP-1984 02:17:13 VAX/VMS Macro V04-00 5-SEP-1984 04:39:03 [VMSLIB.SRC]CVTATB.MAR;1

0000 58; V03-001 SBL3001 Steven B. Lionel, 28-Oct-1982 0000 60; Use .ENTRY instead of .WORD for entry mask.
0000 61; 1-009 ACG0049 Andrew C. Goldstein, 20-Jun-1979 15:11 0000 63; Change module name to LIB\$CVT_ATB per RTL standards 0000 65; V0008 ACG0024 Andrew C. Goldstein, 27-Feb-1979 16:38 0000 66; Fix ident and PSECTs for new RTL standards 0000 67; 0000 68;**

Page

30 41 61 39 5A 7A 30 37 57

OA OC

003C

D0

```
THE ROUTINE WORKS IN THE OBVIOUS MANNER OF ALL CONVERSION ROUTINES: IT SCANS THE INPUT STRING AND CONVERTS EACH CHARACTER INTO ITS NUMERICAL EQUIVALENT AND CHECKS IT FOR LEGALITY AGAINST THE RADIX. THE NUMBER BEING ACCUMULATED IS THEN MULTIPLIED BY THE RADIX AND THE NEW DIGIT IS ADDED IN. NON-RADIX CHARACTERS IN THE INPUT STRING CAUSE AN ERROR RETURN. A SIGN IN OTHER THAN THE FIRST CHARACTER POSITION AND OVERFLOW FROM 32 BITS (UNSIGNED) ALSO CAUSE AN ERROR RETURN.
                                 CALLING SEQUENCE:
                                            CALL LIBSCVT_DTB (COUNT, STRING, RESULT) ; CONVERT DECIMAL TO BINARY CALL LIBSCVT_DTB (COUNT, STRING, RESULT) ; CONVERT OCTAL TO BINARY CALL LIBSCVT_HTB (COUNT, STRING, RESULT) ; CONVERT HEX TO BINARY
                                 INPUT PARAMETERS:
                                             COUNT: BYTE COUNT OF INPUT STRING
                                             STRING: ADDRESS OF INPUT STRING
                                 IMPLICIT INPUTS:
                                             NONE
       OUTPUT PARAMETERS:
                                             RESULT: ADDRESS TO STORE LONGWORD RESULT
                                 IMPLICIT OUTPUTS:
                     101
                                            NONE
                     102
                                 COMPLETION CODES:
                     104
                                             RO = 1 SUCCESFUL CONVERSION
                                                  = 0 ILLEGAL CHARACTER OR ZERO BYTE COUNT
                     106
107
108
109
                                 SIDE EFFECTS:
                                             NONE
                     110
                     111
                     112
                                             .ENABL LSB
00000000
                                             .PSECT _LIB$CODE, NOWRT, PIC, SHR, LONG
       0000
0000
0000
0000
0003
0006
                                BASE AND VALUE TABLES TO CONVERT DIGITS INTO THEIR NUMERICAL VALUES
                            BASETAB:
                                                                           ^A'a', ^A'A', ^A'0'
^A'z', ^A'Z', ^A'9'
^A'a'-10, ^A'A'-10, ^A'0'-00
                                                            BYTE BYTE
                     118
                     120
121
122
123
124
125
126
127
                             VALTAB:
                                                                                                           : ENTRY FOR DECIMAL CONVERT
: SAVE REGISTERS 2-5
: R2 = RADIX
                                                            LIB$CVT_DTB,-
^M<R2,R3,R4,R5>
                                             .ENTRY
                                             MOVL
                                                            #10,R2
                                             BRB
```

| LIBSCVT_ATB | - ASCII NUMBER TO BINAR | Y CONVERSION 16-SEP-1984 5-SEP-1984 | 02:17:13 VAX/VMS Macro V04-00 Page 4 04:39:03 [VMSLIB.SRC]CVTATB.MAR;1 (1) |
|--|---|---|---|
| 52 08 05 | 003C 0010 128 0012 129 00 0012 130 11 0015 131 | .ENTRY LIB\$CVT_OTB,- ^M <r2,r3,r4,r5> MOVL #8,R2 BRB 10\$</r2,r3,r4,r5> | ; ENTRY FOR OCTAL CONVERT ; SAVE REGISTERS 2-5 ; R2 = RADIX |
| 52 10 | 003c 0017 133 0019 134 00 0019 135 001C 136 | .ENTRY LIB\$CVT_HTB,- ^M <r2,r3,r4,r5> MOVL #16,R2</r2,r3,r4,r5> | ; ENTRY FOR HEX CONVERT ; SAVE REGISTERS 2-5 ; R2 = RADIX |
| 50 53 53 40 | DO 0019 135 001C 136 7C 001C 137 10\$: 7C 001E 138 D7 0020 139 11 0022 140 0024 141 | CLRQ RO CLRQ R3 DECL R3 BRB 70\$ | ; ZERO INITIAL NUMBER ; AND STRING POINTER & SIGN ; BACK OFF COUNT ; AND ENTER PRE-TESTED LOOP |
| 55 08 BC43 53 0E 2B 55 | 9A 0024 142 20\$: D5 0029 143 12 002B 144 91 002D 145 | MOVZBL astring(AP)[R3],R5 TSTL R3 BNEQ 30\$ CMPB R5,#^A'+' | GET NEXT CHARACTER SEE IF THIS IS FIRST CHARACTER SKIP SIGN CHECK IF NOT CHECK FOR PLUS |
| 2B 55 32 2D 55 04 54 29 | 13 0030 146 91 0032 147 12 0035 148 06 0037 149 11 0039 150 | BEQL 70\$ CMPB R5,#^A'-' BNEQ 30\$ INCL R4 BRB 70\$ | CHECK FOR MINUS BRANCH IF NOT SET NEGATIVE FLAG OK - LOOP FOR NEXT CHARACTER |
| BE AF41 55 07 BA AF41 55 06 EE 51 03 26 | 91 0044 155 1B 0049 156 F2 004B 157 50\$: 11 004F 158 | CLRL R1 CMPB R5,BASETAB[R1] BLSSU 50\$ CMPB R5,TOPTAB[R1] BLEQU 60\$ AOBLSS #3,R1,40\$ BRB 90\$ | ; INIT TABLE INDEX ; CHECK DIGIT AGAINST BASE CHARACTER ; BRANCH IF DIGIT IS LESS ; CHECK DIGIT AGAINST TOP CHARACTER ; BRANCH IF LESS - VALID ; NOT THIS RANGE - TRY NEXT LOWER BASE ; NOT A LEGAL DIGIT |
| 55 B1 AF41 52 55 10 50 55 50 52 51 13 | 82 0051 160 60\$: | SUBB VALTABER1],R5 CMPL R5,R2 BGEQU 90\$ EMUL R2,R0,R5,R0 TSTL R1 BNEQ 90\$ | COMPUTE NUMERIC VALUE (NOTE - ALWAYS +) CHECK DIGIT AGAINST RADIX TOUGH LUCK SCALE VALUE BY RADIX AND ADD DIGIT CHECK FOR OVERFLOW |
| BB 53 04 AC | F2 0064 167 70\$: | AOBLSS COUNT(AP),R3,20\$ | ; LOOP FOR DIGITS |
| 03 54 50 50 00 BC 50 50 01 | D1 0056 161 1E 0059 162 7A 005B 163 D5 0060 164 12 0062 165 0064 166 F2 0064 167 0069 168 E9 0069 169 CE 006C 170 D0 006F 171 80\$: 00 0073 172 04 0076 173 0077 176; 0077 176; 0077 176 0077 176 0077 177 0077 176 007A 181 007A 181 007A 182 007A 183 007A 184 | BLBC R4,80\$ MNEGL R0,R0 MOVL R0,aRESULT(AP) MOVL #1,R0 RET | CHECK SIGN BIT MAKE NEGATIVE IF DESIRED STORE RESULT RETURN TRUE |
| | 0077 175 TO HEI | RE ON ANY BAD CHARACTER | |
| 50 | 04 0077 177 90\$: 04 0079 178 | CLRL RO | ; RETURN FALSE |
| | D4 0077 177 90\$: 04 0079 178 007A 179 007A 180 007A 181 007A 182 | .DSABL LSB | |
| | 007A 183 007A 184 | .END | |

LIE 1-C

LIB\$CVT_ATB Psect synopsis - ASCII NUMBER TO BINARY CONVERSION VAX/VMS Macro V04-00 [VMSLIB.SRC]CVTATB.MAR;1 (1) Page Psect synopsis! PSECT name PSECT No. Allocation Attributes NOPIC NOPIC PIC NOEXE NORD EXE RD EXE RD NOWRT NOVEC BYTE NOWRT NOVEC LONG 00000000 CON ABS 0.) \$ABS\$ ABS LCL NOSHR USR _LIB\$CODE 0000007A Performance indicators

| Phase | Page faults | CPU Time | Elapsed Time |
|--|------------------|----------------------------|---------------------|
| Initialization | 32 | 00:00:00.09 | 00:00:00.52 |
| Command processing Pass 1 | 32 124 344 | 00:00:00.72 | 00:00:04.92 |
| Symbol table sort | 0 | 00:00:00.52 | 00:00:01.12 |
| Pass 2 Symbol table output | 48 11 | 00:00:03.09 00:00:00.10 | 00:00:06.38 |
| Psect synopsis output | '3 | 00:00:00.02 | 00:00:00.02 |
| Cross-reference output Assembler run totals | 564 | 00:00:00.00 00:00:13.03 | 00:00:00.00 |

The working set limit was 1200 pages.
36819 bytes (72 pages) of virtual memory were used to buffer the intermediate code.
There were 30 pages of symbol table space allocated to hold 370 non-local and 9 local symbols.
2936 source lines were read in Pass 1, producing 18 object records in Pass 2.
134 pages of virtual memory were used to define 133 macros.

Macro library statistics !

Macro library name

Macros defined

_\$255\$DUA28:[SYSLIB]STARLET.MLB;2

420 GETS were required to define 4 macros.

There were no errors, warnings or information messages.

MACRO/DISA=TRACE/LIS=LIS\$:CVTATB/OBJ=OBJ\$:CVTATB MASD\$:[EMULAT.SRC]MISSING/UPDATE=(MASD\$:[EMULAT.ENH]MISSING)+MASD\$:[VMSLIB.SRC]CVTA

0204 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

